

Title:

Certificate of Analysis (CoA)




Date: 6/24/2026
Date Tested: 6/18/2026
Customer: APM
Testing material: Retatrutide_APM
Lot Number: RT10
BT Sample ID: 005000040512203
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, copper crimp, clear plastic cap.
Labeled as: Retatrutide_APM
Manufacturer: APM
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	99.8 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	98.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10.5 mg (104.8 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10.5 : 89.3 mg (1:8.5)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.



Andrea Castro, AS
 Scientist-II
 BTLabs




Verna Zheng, AS
 Scientist-II
 BTLabs


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Retatrutide APM Lot RT10



HPLC Purity and Potency Assay @ 280 nm: Retatrutide APM Lot RT10



Retatrutide APM Lot RT10 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	9.955	541.4

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>